From: Gilberto Irizarry/DC/USEPA/US

**Sent:** 1/12/2012 10:06:25 AM

To: Larry Stanton/DC/USEPA/US@EPA

CC:

Subject: Re: Dimock updates

Yes, makes sense and will do.

Tito

-----

Sent by Blackberry. Please excuse typos.

Gilberto "Tito" Irizarry

Director, Prog. Ops & Coordination Division

Office of Emergency Management

US Environmental Protection Agency - HQ

O: (202) 564-7982 C: (202) 821-8138

---- Original Message ----- From: Larry Stanton

Sent: 01/12/2012 10:05 AM EST

To: Gilberto Irizarry

Subject: Re: Dimock updates

## Ex. 5 - Deliberative

L

Lawrence M. Stanton, Director

Office of Emergency Management (OEM) US EPA HQ, 1200 Pennsylvania Ave. 5104A Washington DC, 20460

Office: 202.564.2092 Cell: 202.568.1396

Email: stanton.larry@epa.gov

From: Gilberto Irizarry/DC/USEPA/US
To: Patrick Easter/DC/USEPA/US@EPA

Cc: Larry Stanton/DC/USEPA/US@EPA, Dana Tulis/DC/USEPA/US@EPA

Date: 01/12/2012 10:02 AM Subject: Re: Dimock updates

Thanks Patrick

I don't believe that there is new information to provide in update right now. Come midday, if R3 is able to get us the Action Memo package, then that would/should be our update (ie., OEM has received the updated AM package from R3 and has initiated review ....). We'll see.

Tito

Sent by Blackberry. Please excuse typos.

Gilberto "Tito" Irizarry

Director, Prog. Ops & Coordination Division

DIM0145442 DIM0145442

Office of Emergency Management US Environmental Protection Agency - HQ

O: (202) 564-7982 C: (202) 821-8138

---- Original Message ----- From: Patrick Easter

Sent: 01/12/2012 09:35 AM EST

To: Gilberto Irizarry

Cc: Larry Stanton; Dana Tulis Subject: Fw: Dimock updates

FYI.

---- Forwarded by Patrick Easter/DC/USEPA/US on 01/12/2012 09:35 AM -----

From: Becky Brooks/DC/USEPA/US

To: "Larry Stanton" <Stanton.Larry@epamail.epa.gov>, "Dana Tulis" <Tulis.Dana@epamail.epa.gov> Cc: "Patrick Easter" <Easter.Patrick@epamail.epa.gov>, Shawna Bergman/DC/USEPA/US@EPA

Date: 01/12/2012 09:29 AM Subject: Dimock updates

Please provide an update to Mathy and Lisa prior to the premeets. A brief email is fine. Thank you.

DIM0145442 DIM0145443